



Máquinas de Tratamento Térmico pelo método de Indução (Venda e Locação)

A close-up photograph of a Tecnotrat i10 industrial machine. The machine is white with a black control panel. On the left side of the white panel, there is a red logo consisting of a square with a stylized 'T' and the word 'tecnotrat' in a bold, lowercase font. The control panel features a small LCD screen, a numeric keypad (0-9), and several function buttons: 'HOLD', 'SET', 'DIS PLAY', 'SAVE', 'SHIFT', 'RUN' (green), 'DEL', and 'STOP TEST' (red). Below the control panel, there are two output ports labeled 'Output L1' and 'Output L2'. Two blue cables are plugged into these ports. The machine is sitting on a white surface. In the background, there is a yellow tripod and a roll of blue material. A large, dark red diagonal graphic element is on the right side of the image.

tecnotrat

TECNOTRAT i10

A blue Tecnotrat i40 portable power source is shown in a workshop setting. The machine is on wheels and has a control panel on the right side. A worker in red overalls is standing next to it, interacting with the control panel. The machine has the Tecnotrat logo and website address on the front panel. The background shows a workshop with various tools and equipment.

T tecnotrat
www.tecnotrat.com.br

TECNOTRAT i40



TECNOTRAT i80



CR2100 SERIES

INDUCTION HEATING SYSTEM

tecnotrat


Built-in Water Cooling Control System
内置水冷控制系统

高水位
Hight water level

低水位
Low water level

TECNOTRAT iM 40E





Máquina iM40E

- Possui pistola para aquecimento localizado.
- Utilizado para saque de casquilhos, buchas e/ou serviços específicos.

www.tecnorat.com.br | (11) 4619-8490

contato@tecnorat.com.br

Rua Aparício Corrêa de Godoy, 284 – Polo Industrial Itapevi – SP - CEP 06693-805

